

UP TO 10 BAGS PER MINUTE, EASY TO OPERATE BAGGING SCALE WITH "SMART SETUP" TO ACCURATELY WEIGH ALL YOUR VARIOUS PRODUCTS.




STANDARD FEATURES:

- Up to 10 Bags per minute with 0.2 lb./0.1 kg weight accuracy or 7 Bags per minute with 0.1 lb./0.05 kg weight accuracy
- Two 100KG load cells with NIST test weight included
- Weights and Measures Approved, stainless steel Digital Controller
- 99 Memory-retained recipe code storage – 20 character name
- "Smart Setup" ten bag start with auto-adjustment
- Bag weight data collection with product name and lot number tracking
- Bulk and dribble dual-speed gravity gate design for granular and pelleted products
- Belt, auger and vibratory pan feeders available for texturized, cube, flake, powder, flour and other semi-free flowing products
- Quick-hang, hand-clearing, high capacity bag spout design
- No bag - no fill electrical signal
- Same mounting pattern as GWM, GB32 and HR17 mechanical scales and GWD, JMDT, JM-FF-ED digital scales
- Designed for 10 pound to 110 pound (5 kg to 50 kg) bag weights
- Box and pail filling adapter available
- Dust tight spouts and dust collection ports available
- RS 232-485 and TCP/IP ports available for data transfer and printing
- Lab view data analysis application available for purchase

OPTIONAL :




- Belt, auger and vibratory pan feeders
- Stainless steel contact or all stainless steel construction
- Dust collection port
- Scale pedestal and surge hoppers
- Box and pail filling attachment
- Food, pharmaceutical and wash-down upgrades
- Portable framework with adjustable height bag filling conveyor
- WLAN, MODBUS TCP
- Slave, and Labview reporting app optional
- Bag closing equipment
- Start-up and technical training

DIGITAL ROYAL GWD-GG-DT



JEM International Inc. is the leading manufacturer of gross weight bagging scales and the Mattson family is honoured to have sold thousands of systems in 60 countries for the past forty-five years.

DIMENSIONS:




NOTE:

- 1/4" quick-Disconnect Hose Coupling for Air (McMaster-Carr Part # 6534K46)
- Inner diameter of Air Hose is recommended larger than 1/4"


SHIPPING DIMENSIONS: 48"x 40"x 40"
(120 cm x 100 cm x 100 cm) at 250 pounds
(114 kgs)

DIGITAL ROYAL BF



BAG SPOUTS:

25 INCH CIRCUMFERENCE



21 INCH CIRCUMFERENCE



(25") SIDE BY SIDE (21")

